



## AVANT® Tipping Trailer

Our leveling buckets are designed for durability and efficiency. The sharp back edge ensures precise leveling when driving in reverse, while the extended bottom enhances visibility of the bucket's tip, making operation easier.

The latest leveling buckets are built stronger with a smooth interior for effortless filling and emptying. They also feature increased size compared to previous models, offering greater capacity and efficiency.


- Improved visibility for precise control
- Sharp back edge for accurate leveling in reverse
- Heavy-duty construction for long-lasting performance
- New models offer increased width and capacity

### Technical Information

Model	Max. Load	Width	Length	Tyre Size	Side Height	Product No.
1200	1200 kg	1125 mm	1710 mm	23x8,50-12	280 mm	A2949
1800	1800 kg	1350 mm	2240 mm	320/60-12	560 mm	A21200

## Compatible Models

Model	Compatibility
220	✗ Not Compatible
225	✗ Not Compatible
225 LPG	✗ Not Compatible
313S	✗ Not Compatible
320S	+ Adaptable
420	✓ Compatible
520	✓ Compatible
525 LPG	✓ Compatible
528	✓ Compatible
630	✓ Compatible
635	✓ Compatible
640	✓ Compatible
745	✓ Compatible
750	✓ Compatible
755i	✓ Compatible
760i	✓ Compatible
e5	✓ Compatible
R20	✓ Compatible
R28	✓ Compatible
R35	✓ Compatible



## AVANT® Timber Trailer

The Avant trailer with manual tipping is ideal for transporting garden waste, topsoil, mulch, and more. Its removable sides allow for easy conversion into a timber transport vehicle, enhancing its versatility. Large wheels ensure smooth travel even on wet terrain. It features a rotating trailer coupling compatible with a 50 mm ball hitch and is available in both single and tandem axle versions.


- Key Features:
- Multi-purpose design for general transport and timber hauling
  - Removable sides for added flexibility
  - Large wheels for reliable performance on wet ground
  - Available in single and tandem axle options

### Technical Information

Model	Single Axle	Double Axle
Own Weight	100 kg	130 kg
Total Weight	500 kg	800 kg
Floor Size	650 x 1750 mm	650 x 1750 mm
Total Width	1200 mm	1200 mm
Product No.	A21110	A21111

## Compatible Models

Model	Compatibility
220	✓ Compatible
225	✓ Compatible
225 LPG	✓ Compatible
313S	✓ Compatible
320S	✓ Compatible
420	✓ Compatible
520	✓ Compatible
525 LPG	✓ Compatible
528	✓ Compatible
630	✓ Compatible
635	✓ Compatible
640	✓ Compatible
745	✓ Compatible
750	✓ Compatible
755i	✓ Compatible
760i	✓ Compatible
e5	✓ Compatible
R20	✓ Compatible
R28	✓ Compatible
R35	✓ Compatible



## AVANT® Timber Trailer with loader crane

The Avant timber trailer with a loader crane provides a simple and efficient solution for loading and transporting logs. It easily connects to Avant's trailer coupling, while the loader crane attaches to the rear auxiliary hydraulics (double-acting outlet required), ensuring quick and hassle-free setup and detachment.

For enhanced off-road performance, the trailer can be optionally equipped with a hydraulic 4-wheel drive system, powered by hydraulically operated traction rollers. This feature significantly improves mobility in rough terrain, making it ideal for forest operations. The rollers, along with their forward-reverse movement, are conveniently controlled via a toggle switch from the driver's seat.

Additionally, the loader crane can be fitted with a remote-controlled winch, allowing logs to be retrieved from hard-to-reach areas without frequent repositioning of the trailer. The remote control system enables a single operator to manage the winch with ease.

Key Features:

- Ideal for DIY forest work or small-scale professional logging
- Strong and durable design, comparable to larger timber trailers
- Powerful loader crane, with an optional winch for greater efficiency
- Optional hydraulic 4WD system for improved off-road capabilities


Technical Information

Specification	Value
Max load for trailer	1500 kg
Load space length	2.6 m
Load space width	1.7 m
Crane lift capacity	2.0 m: 350 kg / 3.2 m: 250 kg
Reach	3.2 m
Length	3.8 m
Weight (trailer+loader)	300 kg
Product No. (trailer+loader)	A34818
Product No. (trailer+loader+4WD)	A34819
Product No. (trailer+loader+4WD+winch)	A34820

## Compatible Models

Model	Compatibility
220	✓ Compatible
225	✓ Compatible
225 LPG	✓ Compatible
313S	✗ Not Compatible
320S	✗ Not Compatible
420	✓ Compatible
520	✓ Compatible
525 LPG	✓ Compatible
528	✓ Compatible
630	✓ Compatible
635	✓ Compatible
640	✓ Compatible
745	✓ Compatible
750	✓ Compatible
755i	✓ Compatible
760i	✓ Compatible
e5	✓ Compatible
R20	✓ Compatible
R28	✓ Compatible
R35	✓ Compatible





## AVANT® Ball Hitch Front

A convenient solution for effortlessly moving trailers, trailer-mounted work platforms, boats on trailers, and more within yards. The clear visibility to the ball hitch allows for quick and easy coupling—simply drive the ball under the trailer and secure it by lifting the loader boom.


Designed for versatility, it comes equipped with both a 50 mm ball hitch and a towing pin, making it compatible with lunette ring-type trailer couplings.

### Technical Information

<u>Specification</u>	<u>Value</u>
Weight	34 kg
Product No.	A35592

## Compatible Models

Model	Compatibility
220	✓ Compatible
225	✓ Compatible
225 LPG	✓ Compatible
313S	✓ Compatible
320S	✓ Compatible
420	✓ Compatible
520	✓ Compatible
525 LPG	✓ Compatible
528	✓ Compatible
630	✓ Compatible
635	✓ Compatible
640	✓ Compatible
745	✓ Compatible
750	✓ Compatible
755i	✓ Compatible
760i	✓ Compatible
e5	✓ Compatible
R20	✓ Compatible
R28	✓ Compatible
R35	✓ Compatible



## **AVANT** Hydraulic Trailer Hitch

The loader requires a double-acting rear auxiliary hydraulics outlet for operation.

The hydraulic trailer hitch offers adjustable height for the 50 mm ball hitch, making it easier to connect trailers across different heights and ground conditions. The hitch comes with both a 50 mm ball and a towing pin.

- Key Features:
- 50 mm ball hitch and towing pin included
  - 250 mm of vertical height adjustment for the hitch
  - Hydraulic cylinder with a lock valve for added safety
  - Compatible with 400-700 series models

### Technical Information

Height Adjustment	Weight	Product No.
Hydraulic	30 kg	A36518

## Compatible Models

Model	Compatibility
220	✗ Not Compatible
225	✗ Not Compatible
225 LPG	✗ Not Compatible
313S	✗ Not Compatible
320S	✗ Not Compatible
420	✓ Compatible
520	✓ Compatible
525 LPG	✓ Compatible
528	✓ Compatible
630	✓ Compatible
635	✓ Compatible
640	✓ Compatible
745	✓ Compatible
750	✓ Compatible
755i	✓ Compatible
760i	✓ Compatible
e5	✓ Compatible
R20	✓ Compatible
R28	✓ Compatible
R35	✓ Compatible



# Transport Trailers

Custom-built trailers are available upon special order to transport AVANT loaders.

- Load capacity of up to 2600 kg
- Available in double-axle or tri-axle configurations
- Push brakes on all wheels for added safety
- Optional steel or aluminium ramps
- Multiple colour options to choose from

